

KLENK® TOOLS


Premium Snips and Tools Since 1934

Distributor Catalog No. 604











Klenk® Aviation Snips

Klenk® Aviation Snips

- Hardened alloy steel blades resist wear and breakage.
- Double-cam-action construction provides greater cutting power.
- Serrated blades draw work into cutting edge without slipping for accurate, clean cuts.
- Maximum jaw opening provides longer cuts -- minimal handle opening provides fast, easy cuts.
- Hardened pivot bolt provides durability.
- Self-locking nuts allow easy adjustment.
- Ergonomic, easy-to-clean PVC grips (or polypropylene spur) resist wear and grime, and reduces friction on hands.
- Meet ASME standard B107.16M, ensuring dependable cutting performance, operation, and durability. Cutting capacity 18 ga. CR - 22 ga. SS.
- Made in the USA -- and assembled and individually tested by skilled assembly staff to ensure top quality.
- Klenk has 70 years of experience in manufacturing aviation snips, helping to bring our customers the best quality snips, provding excellent service and long life.

Aviation Snips, 10-1/2" long (26.7 cm) with 1-1/2" cut (3.8 cm)

Three different grip styles -- traditional bowed handles, parallel handles, and the original Klenk handles -- accommodate those with large and small hands and glove-wearers, making snips more comfortable to grasp, hold, and use. Slightly longer blades more suited for longer cuts/bigger jobs.

Model No.	Product Description	Weight (lbs.)
MA70500	KJ1 Red grips, cuts left, traditional	0.960
MA70510	KJ2 Green grips, cuts right, traditional	0.960
MA70520	KJ3 Yellow grips, cuts straight, traditional	0.960

Model No.	Product Description	Weight (lbs.)
MA70560	KDC1G Red grips, cuts left, parallel	0.960
MA70570	KDC2G Green grips, cuts right, parallel	0.960
MA70580	KDC3G Yellow grips, cuts straight, parallel	0.960

Model No.	Product Description	Weight (lbs.)
MA70530	KDC1S Red grips, cuts left, original	0.880
MA70540	KDC2S Green grips, cuts right, original	0.880
MA70550	KDC3S Yellow grips, cuts straight, original	0.880

Aviation Snips, 9-1/2" long (24.1 cm) with 1-1/4" cut (3.2 cm)

Slightly shorter, these snips have two grip styles, traditional bowed handles and parallel handles. They are ideal for smaller hands and easier to use in hard-to-reach areas.

Model No.	Product Description	Weight (lbs.)
MA70000	KJS1 Red grips, cuts left, traditional	0.840
MA70010	KJS2 Green grips, cuts right, traditional	0.840
MA70020	KJS3 Yellow grips, cuts straight, traditional	0.840

Model No.	Product Description	Weight (lbs.)
MA70030	PK1 Red grips, cuts left, parallel	0.840
MA70040	PK2 Green grips, cuts right, parallel	0.840
MA70050	PK3 Yellow grips, cuts straight, parallel	0.840



KJ Snips (10-1/2") Traditional Bowed Handles



KDCG Snips (10-1/2") Parallel Style Handles



KDCS Snips (10-1/2") Original Style Handles



KJS Snips (9-1/2") Traditional Bowed Handles

Offset Snips / Bulldog Snips

NEW AND IMPROVED KLENK® OFFSET SNIPS



NEW! Thicker alloy steel blades for increased strength and durability.

NEW! Improved forming process produces stress-free blades for breakage

resistance.

NEW! Improved heat-treating process produces blades that are

tougher and more wear-resistant.

NEW! Precision-ground tips prevent tearing of material

at the end of each cut.

NEW! Stronger Grade 8 pivot bolt



MA75200 and MA75210 Offset Snips



MA74500 Bulldog Snips

Offset Aviation Snips, 10-1/2" (26.7 cm) with 1-3/8" cut (3.5 cm)



Our unique blade design allows the blades to flow smoothly through the metal, cutting tight curves, angles, and circles more easily than any other aviation snip. Our offset snips also glide through long, straight cuts with ease! Ergonomic handle: Fully opened, the handles are only 5" apart, yet still achieve a complete cut of 1-3/8". Made for trade professionals: Tested for wear and durability to meet ASME Standards for aviation snips. Red grip handle cuts straight and to the left. Green grip handle cuts straight and to the right. Cutting capacity: 18 ga. CR - 22 ga. SS. Made in the USA. NOTE: Offset snips are not recommended for use on seams.

Model No.	Product Description	Weight (lbs.)
MA75200	Left-cut offset snips, red grips	1.060
MA75210	Right-cut offset snips, green grips	1.060

Bulldog Snips, 9" (22.9 cm) with 3/4" cut (1.9 cm)



Klenk's bulldog snips have hardened, serrated blades, with a short bite to cut heavier gauge metal. Bulldog snips are ideal for 'S' slips and drives. They also work well on the T-bar used in drop ceilings as well as the extruded aluminum door and window frames. Fully opened, the redesigned handles are only 5" apart, yet still achieve a complete cut of 3/4". Cutting capacity: 16 ga. CR - 18 ga. SS. Made in the USA.

Model No.	Product Description	Weight (lbs.)
MA74500	KBD Bowed handles, orange grips	0.760

K Specialty HVACR Tools

Five-blade Crimper, 9-3/4" (24.8 cm) with 1-1/4" crimp (3.2 cm)

Klenk's five-blade crimper is ideal for round duct, sheet metal pipe, and downspouts. This tool reduces the diameter of the end of the pipe so it can be inserted into another pipe of similar size. The crimper has five blades and makes perfect uniform crimps on sheet metal up to 20 gauge. Recommended for light or heavy piping -- furnace, smoke, square, conductor; wall stacks, air ducts, water heater vent pipes, and downspouts. Crimps up to 1-1/4" back from end for good overlap connection. Ergonomic angled design for better comfort and protection. Heat treated blade for longer wear. Hardened pivot bolt. Bowed handles, orange vinyl grips. Made in USA.

Model No.	Product Description	Weight (lbs.)
MA71000	K6 Five-blade crimper, bowed handles,	1.090
IVIA / 1000	orange vinyl grips	1.090

Pipe Cutter, 10-1/2" (26.7 cm) with 1-1/4" cut (3.2 cm)

The 3-blade tool cuts round duct and smoke pipe, taking out a 1/8" track leaving both ends clean and straight. A regular aviation snip used to cut a duct or a smoke pipe would bend up one side significantly. Klenk's pipe cutter allows for this by making room for the tool to travel, leaving both sides clean and straight. Push center blade point through to start cut. Maximum opening of jaws for better bite and minimum opening of handles for easier cutting. Jaws are made from hardened steel with springback handles. Hardened pivot bolt provides long wear. Bowed handles, orange vinyl grips. Made in USA.

Model No.	Product Description	Weight (lbs.)
MA71500	KDC5 Pipe cutter, double cut, bowed handles, orange vinyl grips	0.920

Notcher, 8-1/2" (21.5 cm) with 3/4" notch (1.9 cm)

Hardened steel notching blade with spring-back handles. Compoundaction jaw provides clean notches without slippage. Notcher produces a 30 degree notch cut in sheet metal. Hardened pivot bolt provides long wear. Staight handles, orange vinyl grips. Made in USA.

Model No.	Product Description	Weight (lbs.)
MA77000	KHNR Notcher, straight handles, orange vinyl grips	1.020



MA71000 Crimper



MA71500 Pipecutter



MA77000 Notcher



MA77000 Notcher cutting sheet metal



MA73010 Duct Slicer



MA77530 Duct Stretcher



MA77540 Duct Pincher

STEP 1





Duct Slicer, 12" (30.5 cm)

Klenk's new and improved Duct Slicer slices safely through metal duct and works great for take-offs! Easyto-use duct slicer has a beveled edge on the tip, allowNEW IMPROVED DESIGN!

ing easier and more accurate piercing of sheet metal. The *Improved heat-treated steel shaft* provides durability and longer-lasting edge on tip. *Ergonomic handle provides a* contoured, rubberized grip, giving users a more comfortable and secure grip. The *shock-absorbing handle's re-engineered internal structure provides strength and reduces hand fatigue when the tool is struck. Made in the USA. The MA73010 replaces the KDS 2000 duct slicer (no longer available).*

Model No.	Product Description	Weight (lbs.)
MA73010	Duct slicer, 12" long, ergonomic,	0.700
WA73010	rubberized handle	0.700

Duct Stretcher, 16" (40.6 cm)

Engineered to hold duct in place when fastening ductwork! The offset duct stretcher holds duct in place with one hand while slipping drive cleat in place with other hand. Designed to be used anywhere, even in tight or cramped areas, the offset duct stretcher saves your knuckles when working in awkward spaces. The wheels can be adjusted to span greater distances using the additional spacing holes. Anodized aluminum body has vinyl cushion grip handle. Made in the USA.

Model No.	Product Description	Weight (lbs.)
MA77530	Duct stretcher, 16" long, 1-3/8" wide,	0.610
IVIA77550	anodized aluminum with vinyl grip handle	0.610

Duct Pincher, 9-1/2" (24.1 cm)

Make hanging ductwork EASY in 3 simple steps! Tapered "Y-cut" self-pinching channel adapts to varying ductwork gap sizes--and creates the best possible duct alignment. Built-in drive guide allows you to easily insert drive cleats. 16-gauge, smooth formed metal provides long lasting toughness--coated handle ensures a no-slip, comfortable grip. Convenient, lightweight size fits easily into tool pouch or pocket. 90 degree, squared off handle end provides easier striking area to increase accuracy. Made in the USA. Patent Pending.



STEP 3

STEP 1: Insert the Y-cut self-pinching channel on the difficult-to-close ductwork gaps.

STEP 2: Pinch the gap closed with a simple push of the hand or the tap of a hammer.

STEP 3: Use the built-in drive guide to easily insert drive cleats.

Model No.	Product Description	Weight (lbs.)
MA77540	Duct Pincher, 9-1/2" long by 1-3/8" wide, with 1-9/16" deep by 1-3/16" wide Y-cut	0.380



Tongs and Seamers

Fairmont Tongs, 9-1/2" with 3" wide jaw

Fairmont tongs are powerful and versatile additions to any tool box. Their many uses range from HVACR maintenance to roofing installation and repair. They are also used in a variety of sheet metal, machine shop, and other applications throughout many manufacturing and trade industries. Tongs are forged and plated -- and fully guaranteed against defective material and workmanship. Bending depth marks on tong jaws. Regular or offset handle models. Also available with cushion grip handles, which offer a softer, more comfortable grip. 9-1/2" overall length x 1-1/8" throat depth x 3" jaw width. Made in USA.

Model No.	Product Description	Weight (lbs.)
MT14000	Fairmont tongs	1.820
MT14010	Fairmont tongs, offset	1.820
MT14020	Fairmont tongs, with cushion grips	1.960
MT14030	Fairmont tongs, offset, with cushion grips	1.960

Klenk® Seamer, 9" with 3-3/8" wide jaw with view slots

Heavy-duty seamer has alloy steel jaws with strong 2-1/2" pivot point and closing latch. Seamer has compound leverage handle, making seamer easy to use for several tasks, and reducing stress on hand and wrist. Embossed 1/4" gradations on jaw serve as a guide for grabbing, bending, or seaming material. View slots in jaw allow users to see how far seamer has grabbed material. Comfortable vinyl grips on bowed handles fit hands comfortably and are easy to clean. 9-1/2" overall length x 1-1/4" throat depth x 3-3/8" jaw width. Made in USA.

Model No.	Product Description	Weight (lbs.)
MA74000	Klenk® seamers	1.380



MT14000 Fairmont Tongs



MT14020 Fairmont Tongs with cushion grips



MA74000 Klenk Seamers



MT14010 Offset Fairmont Tongs



MT14030 Offset Fairmont Tongs with cushion grips



Close-up of Klenk Seamers showing view slots

Shears and Snips



MA72000 and MA72010 Siding Snips



DA70000 Aluminum-handle Snips cuts circles with ease



Tinner's Shears



DA75560 Teflon® Coated Shear with Sheath

Klenk® Siding Snips

Heavy-duty, industrial-quality snips, specially designed for steel, aluminum and vinyl siding work. Long alloy steel blades, heat-treated for hardness. Serrated blades draw work into cutting edge without slipping for accurate, clean cuts. Longer leverage, spring action handles. Fine points for cutting in close to siding locks and rolled edges. Cutting capacity: 18 ga. CR - 22 ga. SS. Made in USA.

Model No.	Product Description	Weight (lbs.)
MA7000	KDC9 Blue spur, cuts straight, 13"	1.000
MA72000	(32.4 cm) with 2-1/4" (5.7) cut	1.380
MA70010	KDC9JR Blue spur, cuts straight, 10-1/2"	0.000
MA72010	(26.7 cm) with 1-1/2" (3.8) cut	0.920

Aluminum-handle Snips

Aluminum-handle, replaceable-blade snips are strong and lightweight. Cuts curves and circles with ease. Available in two sizes: 12" length or 14" length. Smooth, rounded handle loops for maximum user comfort. Blades are securely fastened with screws, not rivets, so blades remain in alignment and are still fast and easy to change. Replacement blade kits include all necessary hardware. Cutting capacity: up to 22 ga. CR.

Model No.	Product Description	Weight (lbs.)
DA70000	Replaceable-blade snips, 12" long, 3" cut	1.160
DA74510	Replacement blade kit for 12" snips	0.160
DA70060	Replaceable-blade snips, 14" long, 3-1/2" c	ut 1.463
DA74520	Replacement blade kit for 14" snips	0.160

Tinner's Shears

Straight pattern tinner's shears, designed to cut straight, as well as wide curves to left or right. Drop forged of high carbon steel, induction hardened cutting edges. Cushion-grip handle.

Model No.	Product Description	Weight (lbs.)
DA70010	7" long (17.8 cm), 1-3/4" cut (4.4 cm),	0.610
	cutting capacity: up to 24 ga. CR	
DA70020	10" long (25.4 cm), 2-1/2" cut (6.4 cm),	1.110
DA70020	capacity: up to 22 ga. CR	1.110
DA70030	12" long (30.5 cm), 3" cut (7.6 cm),	1.440
DA70030	cutting capacity: up to 20 ga. CR	1.440
DA70040	14" long (35.6 cm), 3-5/8" cut (9.2 cm),	1.070
DA70040	cutting capacity: up to 18 ga. CR	1.670
DA70000	16" long (40.6 cm), with 2-1/2" cut (6.4 cm) 0.000
DA70050	cutting capacity: up to 16 ga. CR	′ 3.630

Klenk® Teflon® Coated Shear with Sheath

Designed specifically to cut peel-and-stick tapes and other peel-and-stick material. Teflon® coated blades help to prevent gumming up during cutting. Slight serration on the blades allow clean cuts without fold-over of the material. Shears are 10" bent trimmers with locking pivot. Sheath is included and constructed of reinforced nylon.

Model No.	Product Description	Weight (lbs.)
DA75560	Shear with sheath	1.000

K Stak-N-Totes

Stak-N-Totes

A convenient new way to store your fittings, tools, and small parts!

- Made from premium-grade galvanized steel -- strong, sturdy, corrosion-resistant.
- Stackable for compact storage.
- Angled sides let you see and access contents without unstacking.
- Six different tray configurations allow you to store different size parts.

Klenk Tools' new space saving Stak-N-Totes are ideal for organizing, storing and transporting small parts, fittings, screws, nuts, bolts, tools, and more while at the same time taking up less space in your warehouse, truck, or shop. Made in USA. Patent pending.

Model No.	Product Description	Weight (lbs.)
MB78000	#2055, 11" x 20", 5 compartments each side,	6.250
MB78010	#2044, 11" x 20", 4 compartments each side	5.950
MB78020	#2043, 11" x 20", 4 compartments one side, 3 other side	5.800
MB78030	#2033, 11" x 20", 3 compartments each side	5.650
MB78040	#2041, 11" x 20", 4 compartments one side, 1 other side	5.500
MB78050	#1333, 11" x 13", 3 compartments each side	3.450



MB78000 11" x 20" Stak-N-Tote (5/5)



MB78010 11" x 20" Stak-N-Tote (4/4)




MB78020 11" x 20" Stak-N-Tote (4/3)



MB78030 11" x 20" Stak-N-Tote (3/3)



MB78040 11" x 20" Stak-N-Tote (4/1)



MB78050 11" x 13" Stak-N-Tote (3/3)





Hammers and Wrenches

Tinner's Hammers

Both hammers feature a balanced head for user comfort and a true swing. The DA70500 has a strong fiberglass handle. The DA70510 has a full polished finish and a rubber-grip handle for less fatigue.

Model No.	Product Description	Weight (lbs.)
DA70500	KTH16 Tinner's hammer, 16 oz.	1.520
DA70510	KSH20 Square head tinner's hammer, 20 oz	z. 1.860

Ergonomic Adjustable Wrenches

Adjustable wrench incorporates less-weight-stronger-handle design -- eliminating material in the non-stress bearing area of the wrench allows 10 percent weight reduction. A "non-protruding" feature on the moveable jaw makes the wrench easier to use when open to its maximum width. Measurements are laser-etched on head -- inches on one side, millimeters on the other. Cushioned rubber handle is anti-slip and ensures a comfortable grip.

Model No.	Product Description	Weight (lbs.)
DA72000	4" long (10.2 cm) with 11/16" (17 mm)	0.150
DA72000	max opening	0.150
DA72010	6" long (15.2 cm) with 15/16" (24 mm)	0.270
DA72010	max opening	0.270
DA72020	8" long (20.3 cm) with 1-1/16" (27 mm)	0.530
DA72020	max opening	0.550
DA70000	10" long (25.4 cm) with 1-1/4" (32 mm)	0.070
DA72030	max opening	0.870
DA72040	12" long (30.5 cm) with 1-1/2" (39 mm)	1 250
DA72040	max opening	1.350

Ratcheting Pipewrenches

Constructed of heavy-gauge, chrome-vanadium steel, the pipewrench has a patented self adjusting ratchet head -- the harder the user presses, the tighter it grips. Ratcheting jaw does not need to be reset between turns -- automatically set to fit for one-handed operation. Swivel head lets user approach pipe from an angle. Oversize jaws automatically set to fit any fastener shape. 360-degree swivel head allows full leverage in tight spots. Handle designed for leverage extenders.

Model No.	Product Description	Weight (lbs.)
DA72500	Ratcheting pipewrench, 10" (25.4 cm)	1.910
DA72510	Ratcheting pipewrench, 14" (35.6 cm)	3.440



DA70500 and DA70510 Tinner's Hammers



Ergo Adjustable Wrenches



DA72030 Ergo Wrench showing measurements



DA72500 Ratcheting Pipewrench

Duct/Insulation Knives



DA71000 Dual Duct Knife with sheath



DH75690 Ergo Insulation Knife



DH75560 and DH75660 Hook and Roofing Knives

Dual Duct/Insulation Knife

The 3mm stainless steel blade has one edge serrated, one edge smooth. Cuts duct board, flex-duct, and insulation. Wood handle, with thumb guard. 11" overall length. Includes reinforced nylon sheath that can hang from a belt. *Superior to many imitations.*

Model No.	Product Description	Weight (lbs.)
DA71000	"KDDK" dual duct/insulation knife	0.480

Ergonomic Insulation Knife

The **DH75690** is ideal for scoring and cutting roofing insulation board and drywall materials. The stiff, permanently-mounted, double beveled blade can pry apart asphalt shingles. Ergonomic, textured grip handle for better grip, reduced slipping, and more powerful cutting leverage. Finger stops on handle for better leverage and added safety. Non-rollaway handle.

Model No.	Product Description	Weight (lbs.)
DH75690	Ergo insulation knife, 7" long, 2-3/8" cut	0.260

Hook Knives

The **DH75560** is a general cutting tool for all professional trades -- roofing, drywall, floorcovering, etc. Has a serrated blade for saw-action cutting on carpet, hose, and rope. This knife features an ergonomic, textured grip handle, which provides better grip, reduced slipping, and more powerful cutting leverage. Also, finger stops on handle give better leverage and added safety, and non-rollaway handle. The **DH75660** roofing knife is ideal for cutting roofing material and linoleum flooring. Like the DH75560, this knife features an ergonomic, textured grip handle, which provides better grip, reduced slipping, and more powerful cutting leverage. Also, finger stops on handle give better leverage and added safety, and non-rollaway handle is ideal for roofing work. 9" overall length with 3-1/4" blade.

Model No.	Product Description	Weight (lbs.)
DH75560	Hook knife, 9-1/4" long, 3-1/4" blade	0.400
DH75660	Roofing hook knife, 9-1/4" long, 3-1/4" blad	le 0.300

Knife Sheaths

The **DH76230** sheath is ideal for hook knives. Heavy-duty, top-grain leather with snap fastener holds knife securely. Rivet-reinforced and stitched construction adds safety. Wear it on your belt -- belt slots have two positions.

Model No.	Product Description	Weight (lbs.)
DH76230	Hook knife sheath	0.160

K

Miscellaneous Tools

Klenk® Magnetic-tip Tape Measure

25-foot magnetic-tip tape measure has large magnetic end hook. Fractional gradations are printed on blade for fast and accurate measurements. Acrylic-coated blade for durability and protection. Ergonomic case for comfortable grip.

Model No.	Product Description	Weight (lbs.)
DA75500	Magnetic-tip tape measure, 25'	0.91



Quick Blade® utility knife has retractable blade, quick release knob for quick open and blade change. Positive, secure lock. Integrated hinged design means no parts to lose. Ergonomic rubber grip. Contractor quality. Uses safer Duratip® blade, or any standard blade. (See DS56080 and DS56040 Replacement Blades.)

Steel Track® Snap Knife has snap-off blade, auto-lock, high visibility color, premium steel blades. Uses standard snap blades, and has spare blade compartment. (See DS56050 Replacement Blade.)

Gray Safety Grip® utility knife is made from highest quality die-cast metal. Features include retractable blade, ergonomic handle, and overlock nose for blade stability. Designed to reduce slippage during heavy pressure and angle cutting. Uses any standard utility blade. (See DS56080 and DS56040 Replacement Blades.)

Model No.	Product Description	Weight (lbs.)
DS56000	Quick Blade® utility knife	0.570
DS56010	Steel Track® snap knife	0.230
DS56020	Gray Safety Grip® utility knife	0.430

Replacement Blades

Model No.	Product Description	Weight (lbs.)
DS56080	Standard utility blade 5/card	0.060
DS56040	Standard utility blade 100/box	1.000
DS56090	Safety-point utility blade 100/box	1.000
DS56050	Snap utility blade 10/tube	0.184
DS56070	Hook utility blade 5/card	0.060
DS56060	Hook utility blade 100/box	1.000

Utility Knife Holster

Rivet reinforced, holster fits most utility knives. Includes clip and holes to attach to pocket or belt.

Model No.	Product Description	Weight (lbs.)
DS56030	Utility knife holster/sheath	0.160

Wood Handle Awl, 4" (10.2 cm)

Professional 4" blade wood handle awl with steel through shaft. Can be used to scribe on sheet metal or pierce holes in wood, leather or lightweight sheet metal. The through shaft protects the handle. Made in USA.

Model No.	Product Description	Weight (lbs.)
DA71500	KWA Wood handle awl	0.180



DA75500 Magnetic-tip Tape Measure



DS5600, DS56010, and DS56020 Utility Knives



DS56030 Utility Knife Sheath



DA71500 Wood Handled Awl



DA75590 Round Mirror Pick-up Tool



DH76515 Caulking Gun



DA74000 Multidriver



DA75510, DA75520, and DA75530 Nut Drivers

Telescoping Mirror/Lighted Magnetic Pick-up Tool Set

Telescoping mirror, available either round or rectangular, extends to 36" for hard-to-reach spots. Chrome-plated shaft is rust- and corrosion-resist-ant. Mirror is slightly oversized and has universal joint allowing adjust-ment to any angle. Lighted, magnetic pick-up tool features bright, white LED light -- no light bulbs to replace. Measures 7-5/8" when closed, the chrome-plated shaft extends 26". Five-pound, rare earth magnet is strong, and the magnet shield directs magnetic force to the tool's tip, not to its sides, allowing more control. Light turns off automatically when not in use. Uses three button-cell batteries (included). Both mirror and pick-up tool come in fitted, black plastic case. Case measures 9-3/4" x 3-1/2" closed. Fits easily in your tool box.

Model No.	Product Description We	eight (lbs.)
DA75580	Tool set with rectangular mirror (2" x 3-1/2")	0.180
DA75590	Tool set with round mirror (2-3/16" dia.)	0.180

Caulking Guns

Two sizes -- 9" or 13" cartridges. Use to apply adhesives, caulking, lubricants. Sturdy, painted steel frame resists corrosion. Ratchet style compression rod. Quick release thumb lever.

Model No.	Product Description	Weight (lbs.)
DH76515	Caulking gun, 9"	1.000
DH76525	Caulking gun, 13" (holds one quart)	1.820

Select-A-Bit™ Multi-driver (set of 12)

Reversible ratchet mechanism locks into the angle you need. Replaces 16 screwdrivers with extra-long, hardened steel bits for longer reach and longer life. Ratchet stands up to 1-1/2 times the torque pressure the human hand can apply. Comes with a FREE point-of-purchase counter display.

Model No.	Product Description	Weight (lbs.)
DA74000	KSB16 Multi-driver, 16 bits	0.840

Magnetic Hex Drivers

Steel shafts with precision cold-drawn and case-hardened nose sockets. Nickel-chrome finish resists elements. Color-coded shafts are 3" (standard) and 5" (extended). Comfortable handles feature larger diameter and end-bearing surface for maximum torque. Hex openings 1/4", 5/16", and 3/8" available with standard shaft; 5/16" with extended shaft.

Model No.	Product Description	Weight (lbs.)
DA75510	Magnetic hex driver, 1/4", red standard shaft	0.200
DA75520	Magnetic hex driver, 5/16", yellow standard shaft	0.200
DA75530	Magnetic hex driver, 3/8"blue standard shaft	0.290
DA75550	Magnetic hex driver, 5/16", yellow extended shaft	0.400

Laminate Shears[™]

Specially designed for cutting Formica® and other plastic laminates! Made in USA.

Klenk Straight Cut Plastic Laminate Shear. Our most popular style, for efficient cuts on any lengths. With hand positioned over the laminate, designed to cut with the single blade cutting into the decorative surface.

Model No.	Product Description	Weight (lbs.)
MA72500	K12 Laminate shears, 9" (22.9 cm) with 1-1/2" (3.8 cm) cut	0.870

Klenk Universal Plastic Laminate Shear. Designed for cutting intricate patterns, circles, scrolls, any angle, straight, left or right, without chipping or binding. Designed to cut with the laminate positioned on the bottom, slotted anvil. A nibbling tool.

Model No.	Product Description	Weight (lbs.)
MA72510	K14 Laminate shears, 7" (17.8 cm) with 5" (12.7 cm) cut	0.930

Klenk Straight Cut Plastic Laminate Shear. The original model for heavy-duty work. Makes clean, accurate cuts with hand positioned under the laminate. Designed to cut with the single blade cutting into the decorative surface.

Model No.	Product Description W	eight (lbs.)
MA72520	KDC5L Laminate shears, 10-1/2" (26.7 cm) with 1-1/4" (3.2 cm) cut	0.940



MA72500 Laminate Shears




MA72510 Laminate Shears



MA72520 Laminate Shears



MA72500 Laminate Shears cutting plastic laminate



MA72510 Laminate Shears cutting plastic laminate



MA72520 Laminate Shears cutting plastic laminate

Klenk® Displays

Klenk® Displays

To assist our distributors display Klenk tools, we provide two sizes of thick cardboard display backings. The 12" x 16" display can be hung on a pegboard and includes wire hooks on which to hang tools. The 24" x 24" display is designed to be hung on a pegboard with customer supplied hooks protruding through pre-cut holes in the display. The 11" x 30" banner can be posted in your store as a header for a larger display or hung at a tools show.

Model No.	Product Description	Weight (lbs.)
DA75000	12" x 16" Wall display	1.100
DA75010	24" x 24" Wall display	0.320
DA75030	11" x 30" Banner	0.090



DA75000 12" x 16" Wall Display



DA75010 24" x 24" Wall Display



DA75030 11" x 30" Banner



Klenk Tools A Division of Everhard Products, Inc. 1016 Ninth Street SW Canton, Ohio 44707 USA

Toll-free: 800-327-5619
Toll-free fax: 800-225-0984
e-mail: sales@klenktools.com

www.klenktools.com

Originators and Manufacturers of Aviation Snips

